


ALTINEL SHIPYARD

88' Sport Yacht

Yard Number 41



Inner Views



Technical Specifications

Loa (Length over all)	:	26,80 m.
Lwl (Length water line)	:	21,60 m.
Beam	:	6,05 m.
Draft	:	1,15 m.
Displacement (unloaded)	:	58 Tons
Displacement (loaded)	:	67 Tons
Fuel Capacity	:	7000 lt.
Fresh Water Capacity	:	1200 lt.
Engines	:	10 V 2000 MTU 2 x 1500 HP
Gear Box	:	ZF 2050
Propulsion	:	Frances Helices SDS 5 (Surface Drives)
Cabins	:	3
Bathrooms	:	3
Crew Cabin with toilet	:	2
Construction Material	:	Fiberglass / Composite
Hull Deadrise	:	17 Degrees

Standard Equipment

Hull and deck

- Access to the spoiler with steps
- External acoustic alarm for bilge water level fore and engine room
- Anchors Bruce SST (1kg. 90-1kg. 60) with 2 chains (m.100 and m.75) with washing
- Stainless steel deck equipment
- Horn with compressor
- SST fair leads (at aft 2, at midship 2, at bow 2))
- Fully fitted stern seat with lockers,
- Access hatches to the crew cabins, engine room and forepik
- 220 volt shore line cable
- Sunbathing cushions on foredeck
- Shower with hot/cold water at transom
- Electric bow thruster (20 HP)
- Fire extinguishers (1)
- Framed glass windows
- Boat hook
- Electro hydraulic paserella on the aft deck for lifting and launching of inflatable tender capacity load 400 kg.)
- Deck lighting
- Remote shut off of engine fuel hoses
- Navigation lights
- Cockpit lights
- Storage for shoes in the cockpit
- Fenders (8) and ball-shaped fenders (2)
- Chock for hauling out at stern and lateral roller chock
- Solid teak deck surface and cockpit floor
- Aft tender garage with electric opening and storage for 350 m 90 HP jet tender (tender is optional)
- Cockpit chairs (3)
- Stainless steel rear door
- Side exit doors (2)
- Salt-water outlet at transom and in the forepeak
- Bow pulpit with side rails
- Storage with door in the cockpit
- Electro hydraulic folding ladder to water in the aft swim platform with hand rails

- Teak cockpit table with stainless steel stands
- Canopies for protection of front and side windows
- Capstans (2)
- Electric windlass 2500 W with controls in foredeck, bridge and remote(2)
- Electric tent at aft cockpit
- Phone control for 6 points
- Name painted on transom
- Flagstaff
- Stereo loudspeakers
- TV Antenna
- Flag pole
- Railing at aft cockpit
- Sunbathing cushions on the aft deck
- Fiberglass radar arch
- U-shaped life ring
- Life jackets (10)
- Second control station with bow thruster control
- Electro hydraulic steering
- VHF semi-duplex Shipmate
- Life rafts for 6 people (2)

Upper Salon

- Aft sliding door and tilt window, both in stainless steel
- Sofas with table
- Cocktail cabinet and various lockers
- Fitted furniture near the sofa with shelves and drawers (2)
- Fully fitted carpets
- Headlining
- Stereo compact with CD / DVD and 4 loudspeakers in the salon and 2 at aft cockpit
- TV color 21" tri-standard 220 V

Lower Saloon

- Sofas with table
- Shelves and cabinets
- Chairs (6)
- Oval-shaped table
- TV color 21" tri-standard 220 V
- Carpeted floor
- Curtains
- Portholes (8)

Bridge

- Compass
- Depth sounder with screen
- Depth sounder, speed Log and water temperature indicator
- Opposite sofas with table
- Fuel gauge
- Gas and reversing gear electronic controls
- Fully installed electric display board
- LCD 11" with incorporated color GPS
- Barometer, clock and hydro thermometer
- Wooden bulkhead with grate abaft the helmsman seat
- Carpeted floor
- Automatic pilot with interface
- Helmsman seat (3 seats)
- Manual side exit doors
- Cigarette lighter outlet 12 V
- Radar 36 miles, LCD screen
- Semi-duplex Shipmate VHF
- Rudder angle indicator
- Control station with full instrumentation
- Windshield wipers with washers (3) and timer
- Electro hydraulic steering

Master cabin

- Ventilation under the mattress
- Wardrobe room and safe deposit box
- Chest of drawer
- Bedside tables with locker and 2 drawers
- Sofa (2 seats)
- Stereo system with CD and 2 loudspeakers
- Double bed with mattress, pillows and bedspread
- Fully installed furnishings to accommodate TV
- Portholes (4) with covers
- Fully fitted carpets
- Shelves and reading lights
- Headlining
- Mirrors (2)
- Head-board mirror over bed
- Dressing-table with chair
- Curtains
- TV color Multi-standard 14" 220 V

Master bathroom

- Washbasin
- Porthole (1)
- Marble counter top
- Mirrors
- Handheld shower
- Ceramic electric W.C. and separate bidet

Central guest cabins (No. 2)

- Ventilation under the mattress
- Wardrobe
- Chest of drawers (2)
- Stereo system with 2 loudspeakers
- Beds (2) with mattresses, pillows and bedspreads
- Overhead lockers
- Stainless steel portholes (2) with covers
- Fully fitted carpets
- Shelves with reading lights
- Mirror
- Curtains

Guest bathrooms (No. 2)

- Overhead lockers and shelves
- Separable shower with plexiglas
- Washbasin
- Stainless steel porthole (1)
- Marble counter top
- Mirrors
- Ceramic electric W.C. with bidet

Captain's cabin at bow (No. 1)

- Lockers and storages
- Bunk beds (1) with mattress, pillow and bedspread
- Stainless steel portholes (1) with covers

Crew cabin at bow (No.1)

- Lockers and storages
- Bunk beds (1) with mattress, pillow and bedspread
- Stainless steel portholes (1) with covers

Crew toilet at bow

- Shower
- Washbasin
- Stainless steel porthole (1)
- Storage
- Electric marine W.C. with bidet

Gallery

- Overhead lockers
- Cupboards
- Carbon filter fan (220 V)
- Garbage grinder
- Portholes (2)
- Electric microwave / oven (220 V)
- Fridge 2701 with freezer 220V
- Stereo system with 2 loudspeakers
- Dishwasher for 8 (45 cm.)
- Easy clean walls
- Ceramic 4 ring hob with pan holder
- Corian counter top with two sinks and draining board
- Headlining
- Washing & drying machine (220 V)
- Deep freezer 90 l (220 V)

Forepeak

- Anchor chain locker
- Mooring lines (2) of m. 10
- Winch push-button control
- Tube for hanging mooring lines
- Salt water outlet

Engine room

- Electric self-locking blowers (2) (380 V)
- Tool kit, if provided by the engine manufacturer
- Automatic/manual centralized fire-extinguishers
- Raw water engine filters (2)
- Double diesel engine filters (Racor or similar)
- Main electric generator 17500 W (Three phase) (2)
- Portable lamp
- Fuel tank indicator
- Inspection lights
- Watertight bulkhead
- Entry hatches from the cockpit (2)
- SST entry hatch ladders (2)
- Air intakes with remote controlled closing
- Fresh-water outlet for refilling and washing
- Fuel tank in SST between master cabin and engine room
- Change over valve to allow for engines to pump water from the bilge
- Water heater 220 V
- Water maker 120 l/h
- Workshop bench fitted with vice and a selection of tools

Equipment

- Smoke detection alarm in engine room
- Air conditioning throughout with 12 fan-coils and 2 compressors (125.000 BTU/h fan-coil capacity)
- Autoclave pump 24 V
- Autoclave pump 220 V
- Salt water pressure system in the foredeck and transom
- Remote controlled device for closing the engine supply valves
- Approved fire extinguishers (6)
- Hot water systems with water heater 220 V (2)
- Electric system consisting of:
 - 100 A.H. 12 V generator batteries
 - 100 A.H. 24 V automatic battery charger
 - main generator 17500 W (three phase) (2)
 - 360A.H. 24 V engine starting batteries
 - 700A.H. 24 V bank of batteries for service
 - 24 V light throughout
 - battery disconnecting switches
 - inverter 24 V dc.- 220 V ac. 2500 W
 - mechanical and electric battery parallel switch
 - electric outlets for 220 V throughout
- Shower sump pump with automatic electric pump (3)
- Bilge pump system with 5 electro-automatic diving pumps
- Bilge pump system with 1 electric self-priming pump with 4 cocks (bow-clear waters-waste waters-engines)
- Tender garage sump pump with 1 automatic electric pump
- Fire extinguishing system with salt water pump and 2 intakes for hoses on deck
- Fridge capacity: Lt 270 with freezer in the kitchen; It 75 upper saloon area, Lt 97 freezer at kitchen.
- VHF systems
- Stereo systems (6)
- WC system with 2 alternating electric pumps
- Stuffing box with 2 alternating electric pumps
- Shore plug 50 A.H.
- Cathodic protection with zinc anodes on the shafts and flaps
- Underwater exhausts
- Holding tank (400 lt.) with gauge (3/4 and full)
- Electro hydraulic steering